Knowledge and Attitude Regarding Human Milk Banking among Antenatal Mothers Attending Antenatal Clinic

Dhakal RD,¹ Upreti R,¹ Nepal S,¹ Dahal BD,¹ Adhikari P²

ABSTRACT

Background

Breast milk is the ideal food that has essential nutrients for the normal growth and development of infants. It contains antibodies that help to protect against many common childhood illnesses. For infants who cannot receive breast milk from their own mothers, due to maternal illness, death, medication, disability, insufficient milk production, allergies, or prematurity, donated breastmilk can become the ideal option.

Objective

To assess the knowledge and attitude regarding human milk banking among antenatal mothers.

Method

A cross-sectional analytical research was conducted among 422 antenatal mothers attending the antenatal outpatient department of Bharatpur hospital from date 04 November to 04 December 2022. Systematic random sampling was used to select the study unit. A semi-structured interview schedule was adopted to collect the data. Collected data were analyzed by using Descriptive statistics as well as inferential statistics.

Result

Out of 422 mothers, the majority 58.8 % had poor knowledge and 55.9% had a negative attitude toward human milk banking. There was a significant association between poor knowledge and negative attitude with some socio-demographic variables such as age (AOR=2.16; 95%CI= 1.372-3.401; p=0.001), history of adverse pregnancy outcome (AOR =6.202 95% CI=1.786-21.54;p=0.004), occupation (AOR= 1.906; 95% CI = 1.246-2.915; p=0.003).

Conclusion

It is concluded that the majority of the respondents had poor knowledge and a negative attitude regarding human milk banking.Knowledge and awareness of human milk banking, play a major role to remove misperceptions about human milk donation and banking. Therefore, proper dissemination of information about human milk bank services, is necessary.

KEY WORDS

Antenatal Clinic, Antenatal mother, Human milk bank, Knowledge and attitude

¹Shree Medical and Technical College, Shree Medical and Technical College, Bharatpur, Chitwan, Nepal. ²Chitwan Medical College,

Bharatpur, Chitwan, Nepal.

Corresponding Author

Radha Devi Dhakal,

Shree Medical and Technical College,

Bharatpur, Chitwan Nepal.

E-mail: radhadhakal2012@gmail.com

Citation

Dhakal RD, Upreti R, Nepal S, Dahal BD, Adhikari P. Knowledge and Attitude Regarding Human Milk Banking among Antenatal Mothers Attending Antenatal Clinic. *Kathmandu Univ Med J.* 2024;85(1):60-4.

INTRODUCTION

Breast milk is the ideal food for infants, particularly in the first six months of life. It contains antibodies that help to protect against many common childhoods illnesses.¹ Breastmilk is critical for the healthy survival of sick, very low birth weight, a premature infants who cannot receive breast milk from their mothers.²⁻⁴ Similarly, In the absence of the infant's mother due to maternal illness, death, medication, disability, insufficient milk production, or allergies donated breastmilk from the breastmilk bank can become the ideal option.^{3,5,6} A human milk bank is a service that collects, screens, processes, and provides donated breast milk to needy infants.⁷ Formula-fed babies may have a greater risk of respiratory infections, food allergies, nutrient deficiency, etc.⁸ Recently, a human milk bank was established in Nepal. It is a new concept so very few studies were found so the present study aimed to assess the knowledge and attitude of the human milk banking among antenatal mothers.

METHODS

A cross-sectional analytical research design was used to assess the knowledge and attitude toward human milk banking among antenatal mothers. At first, Bharatpur hospital was selected purposefully where antenatal case flow is relatively high. This hospital provides antenatal care and delivery services for pregnant mothers free of charge. In one month of data record review, the total number of pregnant women who came for ANC checkups was 1600. Later on, a systematic random sampling technique was used to select the study unit. The sampling interval was determined by dividing the expected number of ANC attendees per month and the required sample size (1600/422) with a sampling interval of four. Thus, every number based on sample interval was interviewed until the required total sample size meets. The population of this study was all pregnant women irrespective of the gestational week who attain ANC OPD at Bharatpur hospital. The pregnant women, who were unwilling to participate, mentally ill or disabled (dumb/deaf) were excluded.

Before data collection ethical approval was obtained from the Institutional Review Committees SMTC-IRC-20220929-14. Formal permission was obtained from the authority of Bharatpur hospital. Written informed consent was taken from respondents. The face-to-face interview method was used to collect the information. The researchers themself collected the data from dates 04 November to 04 December 2022. A pretested semistructured interview schedule was used to collect the data. Content validity was maintained by thoroughly reviewing the literature, and consulting with the subject expert. The tool was first developed in English language and translated to Nepali version and back translate to English. The research tool consisted of three parts: part I: questions related to socio-demographic information; part II questions related to knowledge regarding human milk banking. part III: likert scale to assess attitude regarding human milk banking.

The collected data was checked, reviewed, and organized for accuracy and completeness on daily basis. Data were entered in Microsoft Excel 2016 for cleaning and coding and later imported to Statistical Package for Social Sciences (version 22.0) for statistical analysis. Descriptive statistics (frequency, percentage, mean and standard deviation) and inferential statistics (chi-square test, logistic regression) were used for statistical analysis.

RESULTS

Table 1 shows that the majority, 58.8% of respondents had poor knowledge and 44.1% had good knowledge regarding human milk banking. Regarding attitude, the majority 55.9% of respondents had an unfavorable attitude while on the contrary 44.1% had a favorable attitude regarding human milk banking.

Table 1. Respondents' Level of Knowledge and Attitud	le
regarding Human Milk Banking n=422	

Variables	Frequency (%)	Mean Score (SD)	Minimum score	Maximum score
Level of Knowledge		17.05(4.35)	8.00	33.00
Poor	248(58.8)			
Good	174(41.2)			
Level of at- titude		34.01(4.92)	22.00	55.00
Negative	236(55.9)			
Positive	186(44.1)			

Table 2 shows, data results delineate, that respondents' socio-demographic variables such as age (AOR=3.048; 95%CI= 1.542-6.027; p=0.001), education status (AOR=7.542; 95% CI = 2.583-22.023; p=0.001) a number of pregnancy (AOR 2.394; 95% CI = 1.467-3.908;p=0.001), history of adverse pregnancy outcome (AOR =6.202 95% CI=1.786-21.54;p=0.004), trimester (week of gestation(AOR =1.624 95% CI=1.062-2.482;p=0.025), were found to be significant for poor knowledge.

Table 3 shows, data results delineate, that respondents' socio-demographic variables such as ethnicity (AOR=2.16; 95%Cl= 1.372-3.401; p=0.001), occupation (AOR= 1.906; 95% Cl=1.246-2.915; p=0.003), monthly family income (AOR 1.847; 95%Cl=1.121-3.044;p=0.016), number of pregnancy (AOR=1.853; 95% Cl =1.146-2.995;p=0.012), history of adverse pregnancy outcome (AOR =3.757 95% Cl=0.958-14.738;p=0.021), were found to be significant for a negative attitude.

		Level of Knowledge					
Variable	Category	Good	Poor	UOR (95% CI)	p-value	AOR (95% CI)	p-value
Age in years	≤20	16 (25.8)	46 (74.20)	2.249 (1.227-4.121)	0.009	3.048 (1.542-6.027)	0.001
	> 20	158 (43.9)	202 (56.1)	1			
Respondent education status	Literate	6 (15.40)	33 (84.60)	4.298 (1.760-10.496)	0.001	7.542 (2.583-22.023)	0.001
	Illiterate	168 (43.90)	215 (56.10)	1			
Education level	Secondary	118 (38.8)	186 (61.20)	2.718 (1.628-4.536)	0.000	-	-
	Above secondary	50 (63.30)	29 (36.7)				
Occupation	Homemaker	87 (41)	125 (59)	1.016 (0.690-1.497)	0.935	0.912 (0.596-1.393)	0.669
	Other than homemaker	87 (41.4)	123 (58.6)	1			
Monthly family income	≤ 500000 Rs.	130 (39.80)	197 (60.20)	0.936 (0.588-1.492)	0.782	1.153 (0.698-1.904)	0.579
	> 500000 Rs.	56 (58.90)	39 (41.10)	1			
Number of pregnancies	1 st time	116 (45.5)	139 (54.5)	1.568 (1.048-2.346)	0.029	2.394 (1.467-3.908)	0.001
	2 nd time	58 (34.7)	109 (65.3)	1			
History of adverse preg- nancy outcome	No	161 (40)	242 (60.)	3.257 (1.213-8.744)	0.019	6.202 (1.786-21.54)	0.004
	Yes	13 (68.4)	6 (31.60)	1			
Trimester	1 st and 2 nd	78 (36.3)	137 (63.7)	1.89 (1.265-2.824)	0.002	1.624 (1.062-2.482)	0.025
	3 rd	96(46.4)	111(53.6)	1			

Table 2. Association between Level of Knowledge regarding Human Milk Banking and Socio-Demographic Variables

Table 3. Association between Level of Attitude regarding Human Milk Banking and Socio-Demographic Variables

Level of Attitude							
Variable	Category	Positive	Negative	UOR (95% CI)	p-value	AOR (95% CI)	p-value
Age	≤ 20	19(30.6)	43(69.4)	1.958(1098-3.492)	0.023	1.71(0.891-3.283)	0.107
	> 20	167(46.4)	193(53.6)	1			
Ethnicity	Brahmin Chettri	101(56.70)	77(43.3)	0.408(0.274-0.606)	<0.001	2.16(1.372-3.401)	0.001
	Other than brahmin chhetri	85(34.8)	159(65.2)				
Religion	Hinduism	164(48.10)	177(51.9)	2.485(1.457-4.237)	0.001	1.001(0.522-1.921)	0.997
	Other than Hinduism	22(27.2)	59(72.8)	1			
Respondent education status	Literate	175(45.70)	208(54.3)	4.298(1.76-10.496)	0.016	1.823(0.828-4.016)	0.136
	Illiterate	11(28.2)	28(71.8)	1			
Education status level	Secondary	118(38.8)	186(61.20)	4.084(2.372-7.032)	000	-	-
	Above secondary	50(63.30)	29(36.7)				
Occupation	Homemaker	77(36.30)	135(63.7)	1.892(1.282-2.793)	0.001	1.906(1.246-2.915)	0.003
	Other than homemaker	109(51.9)	101(48.10)	1			
Monthly family income	≤ 500000 Rs.	130(39.8)	197(60.2)	2.176(1.367-3.464)	0.001	1.847(1.121-3.044)	0.016
	> 500000 Rs.	56(58.9)	39(41.1)	1			
Number of pregnancies	1 st time	119(50.6)	126(49.4)	1.976(1.320-2.957)	0.001	1.853(1.146-2.995)	0.012
	2 nd time	57(34.1)	110(65.9)	1			
History of adverse preg	No	184(45.7)	222(54.3)	7.142(1.629-31.316)	0.009	3.757(0.958-14.738)	0.021
	Yes	2(7.1)	6(31.60)	1			

DISCUSSION

Several studies have been conducted on knowledge and attitude regarding human milk banking but among antenatal mothers, very few studies were found. In this study, Pearson correlation tests revealed a statistically significant positive correlation between knowledge and attitude (r=0.110, p < 0.024). Only 41.2% of the respondents had good knowledge. This finding is in the line with other

study findings from Turkey (41.6%) and China (40.1%).^{9,10} This was lower than other related study conducted in India (52%) although it is greater than the study findings from Nigeria (10%) and USA (34%).¹¹⁻¹³ This variation might be due to the difference in sociodemographic characteristics, knowledge questions, study setting, study population, and study design.

Enhancing the understanding of the donor breast milk concept through encouragement by healthcare professionals, relatives, or friends, were associated with a higher prevalence of breast milk donation.¹⁴ Correspondingly, it was noted in our study that the most common source of information about human milk banking 57.5% was from healthcare workers which is identical to the 46.1% reported in a study conducted in Nigeria.¹² Study findings of Turkey and Kenya showed that 85.7% of media and 55% internet accounted for the source of information of human milk banking.^{9,15} So better availability of a different source of information on human milk banking and, milk bank publicity campaigns can help reduce misconceptions and better awareness among the population.

Respondents whose age \leq 20 have poor knowledge as compared to those > 20 age this finding is in line with study findings of China.¹⁰ The possible explanations might be that older women are more likely to be aware and have more experience to have knowledge of the benefits of breastfeeding than younger women. Higher the education level greater the knowledge shown in various studies.^{13,11} which further supports the finding of this study as well. As education makes mothers more aware and concerned for their health which eventually enhances their knowledge. Individuals with higher formal education would be openminded and more likely to search different sources of information to update themselves and their families compared to uneducated individuals. So, awareness programs regarding human milk banking should be designed according to educational level, and more attention should be paid to women with lower educational levels.

In this study mothers who had got pregnant for the first time had poor knowledge about human milk banking. This finding is contrast with the finding of China Shanghai.¹⁶ A possible explanation for the difference might be that multiparous mothers had the experience and knowledge from previous pregnancies but new mothers who participated in our study were inexperienced and less aware of exclusive breastmilk feeding and human milk banking.

In this study majority of respondents agreed that Donor milk is the optimal nutrition for those infants with premature and low birth, Donor milk is the best alternative when mothers' milk is insufficient. In this study only 44.1% respondent had a positive attitude this finding is lower than the findings of Turkey (59%) and Turkey Istanbul (57.7%), and higher with the finding of human milk banking in Turkey, Denmark, and South Africa where low positive attitude were found.^{9,11,17-19} In this study respondent who had higher monthly family income had a positive attitude towards human milk banking. Respondents from lower income had 1.847 times more negative attitudes towards human milk banking than higher income this finding is significant with the findings of China Shanghai.¹⁶But contrast with the study findings of Denmark If a people have a high income, commonly they were educated too.¹⁹ They can take better precautions, knowledge, and preparation so that their health status can be maintained.

Attitude towards human milk banking is also affected by ethnicity, religion, cultural beliefs, and concerns about the safety of breast milk in human milk banking.9 Similarly in this study respondents from ethnicity other than brahmin/ Chhetri had 2.160 times more positive attitudes towards human milk banking than brahmin Chhetri group. This might be due to the differences in sociocultural beliefs values and customs. These findings should be taken into consideration in human milk banking initiatives and in activities to increase acceptance by the public. In this study level of education was also found significant for the positive attitude which is further supported by the findings of Turkey which shows mother's high education status had a positive effect on milk donation.⁹ Differently, in another study conducted in India, showed although the participants had a poor educational background, most of the participants had a positive view towards breast milk donation and banking.20 Likewise contrast with the findings of the study done in China Shanghai, where the correct rate for human milk donation attitude in mothers was not influenced by education level.¹⁶ But Education and counseling the mothers during the antenatal period might help them to develop a positive attitude toward exclusive breastfeeding and to understand its benefits to the mother and baby. Further, it can help to understand the mother about the significance of breastfeeding.

In this study majority of the respondent who was homemaker had a negative attitude towards human milk banking than non-homemaker which is similar to the findings of the other studies.^{9,11,18} Likewise, In this study women who had no history of adverse pregnancy outcomes had a negative attitude towards human milk banking than women with a history of adverse pregnancy outcomes. The possible explanation might be that mothers who had a history of problems are more conscious of their pregnancy, this experience could motivate the mother to seek more knowledge which might change their attitude. Similarly, in this study primiparous mothers had positive attitude than multiparous. This finding is similar to the finding of China Shanghai, where parity is not significant to positive attitude.¹⁶ The reason for this situation is considered to be caused by the fact that the majority of the multiparous respondents already breastfed their babies and did not have many problems in which case their attitudes about donor milk would score lower. It is worth noting that, our study was conducted in a single center with a limited sample, which may impact the external validity of the data acquired. Only mothers were enrolled in our study, the views of health professionals, policymakers, community people and other stakeholders in the breast milk banking service were left out thus eliminating an important source of data regarding this concept.

CONCLUSION

In this study, the majority of the respondents had poor knowledge and a negative attitude regarding human milk banking. There were significant associations between knowledge and attitude levels and some sociodemographic factors like age, education, occupation, history of adverse pregnancy outcome and income, and number of children. The benefits of human milk banking cannot be replaced by any other source of nutrition. Knowledge and awareness

REFERENCES

- 1. World Health Organization (WHO).World Health Organization. Global targets 2025.
- 2. European Milk Bank Association. Statement on Milk Sharing. January 2015 EMBA, in collaboration with the Human Milk Bank Association of North America (HMBANA) issued a statemen.
- 3. American Academy of Pediatrics. Technical Report: Breastfeeding and the Use of Human Milk Breastfeeding Mother ;2022.
- Iloh KK, Osuorah CD, Ndu IK, Asinobi IN, Obumneme-Anyim IN, Ezeudu CE, et al. Perception of donor breast milk and determinants of its acceptability among mothers in a developing community: a crosssectional multi-center study in south-east Nigeria. Int Breastfeed J. 2018 Nov 14;13:47. doi: 10.1186/s13006-018-0189-2. PMID: 30473721; PMCID: PMC6236964.
- Kimani-Murage EW, Wanjohi MN, Kamande EW, Macharia TN, Mwaniki E, Zerfu T, et al. Perceptions on donated human milk and human milk banking in Nairobi, Kenya. *Matern Child Nutr.* 2019 Oct;15(4):e12842.
- Mantji M, Makoma B, Tebogo M. Women's knowledge and attitudes on established breastmilk bank in Limpopo province, South Africa. Glob J Health Sci. 2019 Jul 21;11(9):93.
- Bertino E, Giuliani F, Occhi L, Coscia A, Tonetto P, Marchino F, et al. Benefits of donor human milk for preterm infants: current evidence. *Early Hum Dev.* 2009 Oct;85(10 Suppl):S9-S10.
- Gribble KD, Hausman BL. Milk sharing and formula feeding: Infant feeding risks in comparative perspective? *Australas Med J*. 2012;5(5):275-83.
- 9. Ekşioğlu A, Yeşil Y, Turfan EÇ. Mothers' views of milk banking: sample of İzmir. *Turk Pediatri Ars*. 2015 Jun 1;50(2):83-9.
- Tian C, Li Y, Soowon L, Xu Y, Zhu Q, Zhao H. Lactating Women's Knowledge and Attitudes About Donor Human Milk in China. J Hum Lact. 2021 Feb;37(1):52-61.

of human milk banking, play a major role to remove misperceptions about human milk donation and banking. Therefore, Proper dissemination of information about human milk bank is necessary.

ACKNOWLEDGEMENTS

The researchers owe a profound sense of appreciation to all those respondents who have taken part in this study.

- 11. Fernandes P, Nayak S. Knowledge of Antenatal Mothers Regarding Human Milk Banking. *Med Legal Update*. 2020 Jul 1;20(3).
- 12. Abhulimhen-Iyoha BI, Okonkwo IR, Ideh RC, Okolo AA. Mothers' perception of the use of banked human milk for feeding of the infants. *Niger J Paediatr.* 2015;42(3):223-7.
- Pal A, Soontarapornchai K, Noble L, Hand I. Attitudes towards donor breast milk in an inner city population. *Int J Pediatr.* 2019;2019(1):3847283.
- 14. Meneses TMX, Oliveira MIC, Boccolini CS. Prevalence and factors associated with breast milk donation in banks that receive human milk in primary health care units. *J Pediatr (Rio J)*. 2017 Jul-Aug;93(4):382-388.
- Kimani-Murage EW, Wanjohi MN, Kamande EW, Macharia TN, Mwaniki E, Zerfu T, et al. Perceptions on donated human milk and human milk banking in Nairobi, Kenya. *Matern Child Nutr.* 2019 Oct;15(4):e12842.
- Huang C, Han W, Fan Y. Knowledge and attitude on donation of breast milk in hospitalized mothers. *Gac Sanit*. 2021 May-Jun;35(3):213-5.
- Özcan H, Oskay Ü. Women Perceptions of Milk Banking in Gumushane City Center Located in Eastern Blacksea Region. *JIHSAM*. 2017;3(4):29-42.
- Varer Akpinar C, Mandiracioglu A, Ozvurmaz S, Adana F, Koc N, Kurt F. Attitudes towards human milk banking among native turkish and refugee women residing in a rural region of Turkey: a mixed-methods approach. *Int Breastfeed J.* 2022 Oct 27;17(1):74.
- 19. Can Ş, Ünülü M. Knowledge of mother regarding wet nursery and breast milk banking. *Ank Med J.* 2019 Mar 22;19(1):60-70.
- Velmurugan S, Prabakar V, Bethou A, Ramamoorthy L. Perceptions on human milk donation and banking: Maternal optimism. J Family Med Prim Care. 2020 Nov 30;9(11):5820-21.